



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/595,660

06/16/2000

Eric Teller

1148/015

2830

23861

7590

12/27/2004

METZ LEWIS, LLC

11 STANWIX STREET

18TH FLOOR

PITTSBURGH, PA 15222

EXAMINER

PASS, NATALIE

ART UNIT

PAPER NUMBER

3626

DATE MAILED: 12/27/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

**Application No.**

09/595,660

**Applicant(s)**

TELLER ET AL.

**Examiner**

Natalie A. Pass

**Art Unit**

3626

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 26 November 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 104-127 and 137-170 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 104-127 and 137-170 is/are rejected.
- 7) ☒ Claim(s) 104, 124, 153 and 157 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_\_.

## **DETAILED ACTION**

### ***Notice to Applicant***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 26 November 2004 has been entered.

2. This communication is in response to the Request for Continued Examination filed 26 November 2004 and amendment filed on 26 November 2004. Claims 1-103 and 128-136 have been previously cancelled. Claims 104, 106, 108, 111, 124, 153, 157, 167, and 169 have been amended. Claims 104-127 and 137-170 remain pending.

### ***Claim Objections***

3. Claims 104, 124, 153, 157 are objected to because of the following informalities:

The claim listing in the amendment of 26 November 2004 does not accurately match the previous claim listing. The text of any added or deleted subject matter must be shown by properly marking the added or deleted text. Examiner notes that, for example, in claims 104, 124, 153, and 157, at line 4 the word "selectable" appears to be added subject matter to claims 104, 124, 153, and 157, as it has not been recited in previous claim recitations, however the lack of

Art Unit: 3626

underlining makes this unclear. In addition, the word "preselected" appears to have been deleted from claims 104, 124, 153, and 157 and the words "to said individual" appear to have been deleted from claims 124 and 157, however the lack of deletion markings does not indicate the deletion.

Specifically, amendments to the claims filed on or after July 30, 2003 must comply with 37 CFR 1.121(c) which states:

(c) *Claims*. Amendments to a claim must be made by rewriting the entire claim with all changes (e.g., additions and deletions) as indicated in this subsection, except when the claim is being canceled. Each amendment document that includes a change to an existing claim, cancellation of an existing claim or addition of a new claim, must include a complete listing of all claims ever presented, including the text of all pending and withdrawn claims, in the application. The claim listing, including the text of the claims, in the amendment document will serve to replace all prior versions of the claims, in the application. In the claim listing, the status of every claim must be indicated after its claim number by using one of the following identifiers in a parenthetical expression: (Original), (Currently amended), (Canceled), (Withdrawn), (Previously presented), (New), and (Not entered).

(1) *Claim listing*. All of the claims presented in a claim listing shall be presented in ascending numerical order. Consecutive claims having the same status of "canceled" or "not entered" may be aggregated into one statement (e.g., Claims 1–5 (canceled)). The claim listing shall commence on a separate sheet of the amendment document and the sheet(s) that contain the text of any part of the claims shall not contain any other part of the amendment.

(2) *When claim text with markings is required*. All claims being currently amended in an amendment paper shall be presented in the claim listing, indicate a status of "currently amended," and be submitted with markings to indicate the changes that have been made relative to the immediate prior version of the claims. The text of any added subject matter must be shown by underlining the added text. The text of any deleted matter must be shown by strike-through except that double brackets placed before and after the deleted characters may be used to show deletion of five or fewer consecutive characters. The text of any deleted subject matter must be shown by being placed within double brackets if strike-through cannot be easily perceived. Only claims having the status of "currently amended," or "withdrawn" if also being amended, shall include markings. If a withdrawn claim is currently amended, its status in the claim listing may be identified as "withdrawn—currently amended."

Art Unit: 3626

(3) *When claim text in clean version is required.* The text of all pending claims not being currently amended shall be presented in the claim listing in clean version, *i.e.*, without any markings in the presentation of text. The presentation of a clean version of any claim having the status of “original,” “withdrawn” or “previously presented” will constitute an assertion that it has not been changed relative to the immediate prior version, except to omit markings that may have been present in the immediate prior version of the claims of the status of “withdrawn” or “previously presented.” Any claim added by amendment must be indicated with the status of “new” and presented in clean version, *i.e.*, without any underlining.

(4) *When claim text shall not be presented; canceling a claim.*

(i) No claim text shall be presented for any claim in the claim listing with the status of “canceled” or “not entered.”

(ii) Cancellation of a claim shall be effected by an instruction to cancel a particular claim number. Identifying the status of a claim in the claim listing as “canceled” will constitute an instruction to cancel the claim.

(5) *Reinstatement of previously canceled claim.* A claim which was previously canceled may be reinstated only by adding the claim as a “new” claim with a new claim number.

Appropriate correction is required.

### ***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 104-112, 114, 117, 119, 124-127, 137, 139, 142, 144 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brown, U.S. Patent Number 5, 951, 300, hereinafter known as Brown300, in view of Alyfuku et al, U.S. Patent Number 5, 410, 471 for substantially the same

Art Unit: 3626

reasons given in the previous Office Action (paper number 08132004). Further reasons appear hereinbelow.

(A) Claims 104, 124 have been amended to recite the limitation of

- "selectable" in line 4;
- "determining quantitative status information indicative of the relative degree of achievement of said individual's performance with relation to said physiological status goal based upon said data indicative of one or more parameters" in lines 13-15 and 11-13, respectively; and
- "providing said determined quantitative status information regarding said individual" in lines 16 and 14, respectively.

As per claims 104, 124, Brown300 teaches a method for assisting an individual to monitor, control and modify certain aspects of the individual's physiological status according to a preset physiological status goal, the method comprising:

establishing said physiological status goal according to certain selectable physiological parameters of said individual (Brown300; Figure 3B, column 2, lines 57-67, column 6, line 26 to column 7, line 18);

comparing target health parameters such as blood glucose readings to actual parameters (reads on determining quantitative status information indicative of the relative degree of achievement of said individual's performance with relation to said physiological status goal based upon said data indicative of one or more parameters) (Brown300; see at least Figure 3A,

Art Unit: 3626

Item 32, Figure 3B, column 1, lines 26-36, column 2, lines 6-9, column 2, line 57 to column 3, line 45, column 5, lines 38-43, column 6, line 26 to column 7, line 18); and

providing said determined quantitative status information, such as a criticality index, regarding said individual indicative of a suggested or recommended change in said individual's performance to assist said individual in the achievement of said physiological status goal (Brown300; see at least Figure 3A, Item 32, Figure 3B, column 1, lines 26-36, column 2, lines 6-9, column 2, line 57 to column 3, line 45, column 5, lines 38-43, column 6, line 26 to column 7, line 18).

Brown300 fails to explicitly disclose wearing a wearable physiological monitoring device on the body of the individual; and generating data indicative of one or more measured parameters of said individual using said wearable physiological monitoring device.

However, the above features are well-known in the art, as evidenced by Alyfuku.

In particular, Alyfuku teaches

wearing a wearable physiological monitoring device on the body of the individual (Alyfuku; see at least Abstract, Figure 11, Item 91, Figure 19, Item 89, Figure 37, Item 183, Figure 42, Item 209, Figure 43, Items S304 to S309, column 1, lines 7-17, column 3, lines 20-31, column 4, line 30 to column 5, line 7, column 8, lines 45-51, column 11, line 59 to column 12, line 4, column 12, line 54 to column 13, line 2, column 14, line 52 to column 16, line 2, column 15, lines 9-25, column 17, lines 35-45, column 19, lines 16-26, 40-49, column 20, lines 27-31, 46-48, column 24, lines 15-47, column 26, line 18 to column 27, line 30); and

Art Unit: 3626

generating data indicative of one or more measured parameters of said individual using said wearable physiological monitoring device (Alyfuku; see at least Abstract, Figure 11, Item 91, Figure 19, Item 89, Figure 37, Item 183, Figure 42, Item 209, Figure 43, Items S304 to S309, column 1, lines 7-17, column 3, lines 20-31, column 4, line 30 to column 5, line 7, column 8, lines 45-51, column 11, line 59 to column 12, line 4, column 12, line 54 to column 13, line 2, column 14, line 52 to column 16, line 2, column 15, lines 9-25, column 17, lines 35-45, column 19, lines 16-26, 40-49, column 20, lines 27-31, 46-48, column 24, lines 15-47, column 26, line 18 to column 27, line 30).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the method of Brown300 to include a wearing a wearable physiological monitoring device on the body of the individual and generating data indicative of one or more measured parameters of said individual using said wearable physiological monitoring device, as taught by Alyfuku, with the motivations of providing a networked vital information health monitoring system which is user-friendly and which is capable of detecting and monitoring vital signs passively in response to routine day-to-day physiological activities of individuals thereby to provide updated latest vital information, without causing the individuals to realize measurement, and thereby to provide a reliable vital information, which is useful in supporting home health care and maintenance for the purposes of prevention and early detection of diseases and continuation of therapy (Alyfuku; column 1, lines 56-67, column 6, lines 42-45).



Art Unit: 3626

(B) As per claims 105-108, Brown300 and Alyfuku teach a method as analyzed and discussed in claim 104 above

wherein said physiological status goal comprises a plurality of categories (Alyfuku; see at least Figure 3A, column II, column 3, line 65 to column 4, line 37, column 8, lines 45-52, column 11, line 59 to column 12, line 4);

wherein said quantitative status information is determined and provided with respect to each of said categories (Alyfuku; see at least Figure 3A, column II, column 3, line 65 to column 4, line 37, column 8, lines 45-52, column 11, line 59 to column 12, line 4) (Brown300; see at least Figure 3B, column 2, line 45 to column 3, line 45, column 5, lines 38-43, column 6, line 26 to column 7, line 18);

wherein said categories relate to two or more of nutrition or diet, activity level or exercise, mind centering or psychological parameters, sleep, and daily activities (Alyfuku; see at least Figure 3A, column II, column 3, line 65 to column 4, line 37, column 8, lines 45-52, column 11, line 59 to column 12, line 4), (Brown300; see at least column 6, line 10 to column 7, line 18); and

wherein said providing step comprises providing at least a portion of said quantitative status information in graphical form (Alyfuku; see at least Figure 3A, column II, Figure 41, Items S289 and S 296, Figure 48, Item S357, Figure 57, Item S507, Figure 58, Item S529, column 8, lines 45-61), (Brown300; see at least Figure 3A, Item 32, Figure 3B, column 1, lines 26-36, column 2, lines 6-9, column 2, line 57 to column 3, line 45, column 5, lines 38-43, column 6, line 26 to column 7, line 18), (Brown300; see at least Figure 4-A, Figure 4-B, column 3, lines 18-45, column 4, lines 38-41, column 6, line 10 to column 7, line 57).

(C) As per claims 109-112, 114, 117, 119, 125-127, 137, 139, 142, 144, Brown300 and Alyfuku teach a method as analyzed and discussed in claims 104 and 124 above

wherein at least two sensors selected from the group consisting of physiological sensors and contextual sensors are in electrical communication with said device, said sensors generating data indicative of at least a first parameter and a second parameter of said individual (Alyfuku; see at least Figure 19, Item 89, Figure 11, Item 91, column 8, lines 25-29, 45-52, column 14, line 52 to column 16, line 2, column 11, line 59 to column 12, line 4, column 12, line 54 to column 13, line 2, column 15, lines 9-25, column 17, lines 35-45, column 19, lines 16-26, 40-49, column 20, lines 27-31, 46-48);

said generating step further comprising generating derived data based on said data indicative of at least a first parameter and a second parameter, said one or more measured parameters including said derived data (Alyfuku; Figure 11, Item 91, Figure 20, Figure 21, Figure 22, column 11, line 59 to column 12, line 4, column 12, line 54 to column 13, line 2, column 14, line 52 to column 16, line 2, column 17, line 35 to column 18, line 46, column 19, lines 16-26, 40-49, column 20, lines 27-31, 46-48);

said data indicative of one or more measured parameters including said data indicative of at least a first parameter and a second parameter, said using step further comprising generating derived data based on said data indicative of at least a first parameter and a second parameter, and using at least said derived data to determine said quantitative status information and said relative degree of achievement (Alyfuku; Figure 11, Item 91, Figure 20, Figure 21, Figure 22, column 11, line 59 to column 12, line 4, column 12, line 54 to column 13, line 2, column 14, line

Art Unit: 3626

52 to column 16, line 2, column 17, line 35 to column 18, line 46, column 19, lines 16-26, 40-49, column 20, lines 27-31, 46-48); and

said at least two sensors being chosen from the group consisting of respiration sensors, temperature sensors, heat flux sensors, body conductance sensors, body resistance sensors, body potential sensors, brain activity sensors, blood pressure sensors, body impedance sensors, body motion sensors, oxygen consumption sensors, body chemistry sensors, body, position sensors, body pressure sensors, body impedance sensors, body motion sensors, oxygen consumption sensors, body chemistry sensors, body position sensors, body pressure sensors, light absorption sensors, piezoelectric sensors, electrochemical sensors, strain gauges, and optical sensors (Alyfuku; see at least Figure 41, Item S288, column 3, line 65 to column 4, line 29); and

wherein said derived data comprises data relating to at least one of activity level, sleep, nutrition, stress level and relaxation level (Alyfuku; see at least Figure 3A, column II, column 3, line 65 to column 4, line 37, column 8, lines 45-52, column 11, line 59 to column 12, line 4).

6. Claims 113, 118, 138, 143, 149, 152-153, 157, 167-170 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brown, U.S. Patent Number 5, 951, 300, hereinafter known as Brown300, in view of Alyfuku et al, U.S. Patent Number 5, 410, 471 as applied to claims 104 and 124 above, and further in view of Korenman et al, U.S. Patent Number 6, 067, 468.

(A) As per claims 113, 118, 138, 143, Brown300 and Alyfuku teach a method as analyzed and discussed in claims 104 and 109, 111, 124 and 127 above.

Brown300 and Alyfuku fail to explicitly disclose

said at least two sensors being two of a body motion sensor adapted to generate data indicative of motion, a skin conductance sensor adapted to generate data indicative of the resistance of said individual's skin to electric current, a heat flux sensor adapted to generate data indicative of heat flow, a body potential sensor adapted to generate data indicative of heart beats or muscle or brain activity of said individual, and a temperature sensor adapted to generate data indicative of a temperature of said individual's skin said data indicative of at least a first parameter and a second parameter comprising at least two of said data indicative of motion said data indicative of resistance of said individual's skin to electric current, said data indicative of heat flow, said data indicative of heart beats or muscle or brain activity and said data indicative of a temperature of said individual's skin.

However, the above features are well-known in the art, as evidenced by Korenman.

In particular, Korenman teaches said at least two sensors being two of a body motion sensor adapted to generate data indicative of motion, a skin conductance sensor adapted to generate data indicative of the resistance of said individual's skin to electric current, a heat flux sensor adapted to generate data indicative of heat flow, a body potential sensor adapted to generate data indicative of heart beats or muscle or brain activity of said individual, and a temperature sensor adapted to generate data indicative of a temperature of said individual's skin said data indicative of at least a first parameter and a second parameter comprising at least two of said data indicative of motion said data indicative of resistance of said individual's skin to electric current, said data indicative of heat flow, said data indicative of heart beats or muscle or brain activity and said data indicative of a temperature of said individual's skin (Korenman; see

at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38, column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the method for assisting an individual of Brown300 and Alyfuku to include said at least two sensors being two of a body motion sensor adapted to generate data indicative of motion, a skin conductance sensor adapted to generate data indicative of the resistance of said individual's skin to electric current, a heat flux sensor adapted to generate data indicative of heat flow, a body potential sensor adapted to generate data indicative of heart beats or muscle or brain activity of said individual, and a temperature sensor adapted to generate data indicative of a temperature of said individual's skin said data indicative of at least a first parameter and a second parameter comprising at least two of said data indicative of motion said data indicative of resistance of said individual's skin to electric current, said data indicative of heat flow, said data indicative of heart beats or muscle or brain activity and said data indicative of a temperature of said individual's skin, as taught by Korenman, with the motivations of testing an aspect of a user's physiological condition which provides an information display which may be viewed by the user and which provides information about the user's current condition, and to display to the user an indication of the physiological parameters measured (Korenman; column 2, lines 2-23, column 3, lines 21-24).

(B) As per claims 149, 152, Brown300, Alyfuku and Korenman teach a method as analyzed and discussed in claims 104 and 124 above

said wearable physiological monitoring device having at least two sensors, said at least two sensors being two of a body motion sensor adapted to generate data indicative of motion, a skin conductance sensor adapted to generate data indicative of the resistance of said individual's skin to electric current, a heat flux sensor adapted to generate data indicative of heat flow, a body potential sensor adapted to generate data indicative of heart beats or muscle or brain activity of said individual, a temperature sensor adapted to generate data indicative of a temperature of said individual's skin, an impedance sensor adapted to generate data indicative of an impedance of said individual's body, and a pulse rate sensor adapted to generate data indicative of a pulse rate of said individual, said physiological monitoring device generating at least two of said data indicative of motion, said data indicative of resistance of said individual's skin to electric current, said data indicative of heat flow, said data indicative of heart beats or muscle or brain activity, said data indicative of a temperature of said individual's skin, said data indicative of impedance, and said data indicative of pulse rate when worn by said individual; said data indicative of one or more measured parameters being generated using said at least two of said data indicative of motion, said data indicative of resistance of said individual's skin to electric current, said data indicative of heat flow, said data indicative of heart beats or muscle or brain activity, said data indicative of a temperature of said individual's skin, said data indicative of impedance, and said data indicative of pulse rate (Alyfuku; see at least Figure 41, Item S288, column 3, line 65 to column 4, line 29), (Korenman; see at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38, column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56).

The motivations for combining the respective teachings of Brown300, Alyfuku, and Korenman, are as given in the rejection of claims 104, 113, and 124 above, and incorporated herein.

(C) Claim 153 differs from claim 104 in that it is a method for assisting an individual to monitor, control and modify certain aspects of the individual's physiological status according to a preset physiological status goal that comprises wearing a wearable physiological monitoring device on the body of the individual, said wearable physiological monitoring device having at least two sensors rather than a method for assisting an individual to monitor, control and modify certain aspects of the individual's physiological status according to a preset physiological status goal that comprises generating data indicative of one or more measured parameters.

Claim 153 been amended to recite the limitation of

- "selectable" in line 4;
- "determining quantitative status information indicative of the relative degree of achievement of said individual's performance with relation to said physiological status goal based upon said data indicative of one or more parameters " in lines 26-28; and
- "providing said determined quantitative status information regarding said individual" in line 29.

As per claim 153, Brown300, Alyfuku and Korenman teach a method for assisting an individual to monitor, control and modify certain aspects of the individual's physiological status according to a preset physiological status goal, the method comprising:

Art Unit: 3626

establishing said physiological status goal according to certain selectable physiological parameters of said individual (Brown300; Figure 3B, column 2, lines 57-67, column 6, line 26 to column 7, line 18);

wearing a wearable physiological monitoring device on the body of the individual, said wearable physiological monitoring device having at least two sensors, said at least two sensors being two of a body motion sensor adapted to generate data indicative of motion, a skin conductance sensor adapted to generate data indicative of the resistance of said individual's skin to electric current, a heat flux sensor adapted to generate data indicative of heat flow, a body potential sensor adapted to generate data indicative of heart beats or muscle or brain activity of said individual, and a temperature sensor adapted to generate data indicative of a temperature of said individual's skin, said wearable physiological monitoring device generating at least two of said data indicative of motion, said data indicative of resistance of said individual's skin to electric current, said data indicative of heat flow, said data indicative of heart beats or muscle or brain activity and said data indicative of a temperature of said individual's skin when worn by said individual (Alyfuku; see at least Abstract, Figure 11, Item 91, Figure 19, Item 89, Figure 37, Item 183, Figure 42, Item 209, Figure 43, Items S304 to S309, column 1, lines 7-17, column 3, lines 20-31, column 4, line 30 to column 5, line 7, column 8, lines 45-51, column 11, line 59 to column 12, line 4, column 12, line 54 to column 13, line 2, column 14, line 52 to column 16, line 2, column 15, lines 9-25, column 17, lines 35-45, column 19, lines 16-26, 40-49, column 20, lines 27-31, 46-48, column 24, lines 15-47, column 26, line 18 to column 27, line 30) , (Korenman; see at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38, column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56);



Art Unit: 3626

generating data indicative of one or more measured parameters of said individual using at least two of said data indicative of motion, said data indicative of resistance of said individual's skin to electric current, said data indicative of heat flow, said data indicative of heart beats or muscle or brain activity and said data indicative of a temperature of said individual's skin (Alyfuku; see at least Abstract, Figure 37, Item 183, Figure 41, Item S288, Figure 42, Item 209, Figure 43, Items S304 to S309, column 1, lines 7-17, column 3, lines 20-31, column 3, line 65 to column 5, line 7, column 8, lines 45-51, column 11, line 59 to column 12, line 4, column 12, line 54 to column 13, line 2, column 14, line 52 to column 16, line 2, column 15, lines 9-25, column 17, lines 35-45, column 19, lines 16-26, 40-49, column 20, lines 27-31, 46-48, column 24, lines 15-47, column 26, line 18 to column 27, line 30), (Korenman; see at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38, column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56);

comparing target health parameters such as blood glucose readings to actual parameters (reads on determining quantitative status information indicative of the relative degree of achievement of said individual's performance with relation to said physiological status goal based upon said data indicative of one or more parameters) (Brown300; see at least Figure 3A, Item 32, Figure 3B, column 1, lines 26-36, column 2, lines 6-9, column 2, line 57 to column 3, line 45, column 5, lines 38-43, column 6, line 26 to column 7, line 18); and

providing said determined quantitative status information, such as a criticality index, regarding said individual (Brown300; see at least Figure 3A, Item 32, Figure 3B, Figure 4-A, Figure 4-B, column 1, lines 26-36, column 2, lines 6-9, column 2, line 57 to column 3, line 45, column 4, lines 38-41, column 5, lines 38-43, column 6, line 10 to column 7, line 57).

The motivations for combining the respective teachings of Brown300, Alyfuku, and Korenman, are as given in the rejection of claims 104, 113, and 124 above, and incorporated herein.

(D) Claim 157 differs from claim 153 in that it is a method for assisting an individual to monitor, control and modify certain aspects of the individual's physiological status according to a preset physiological status goal that comprises providing information indicative of a suggested change in said individual's performance to assist said individual rather than a method for assisting an individual to monitor, control and modify certain aspects of the individual's physiological status according to a preset physiological status goal that comprises providing status information to said individual.

Claim 157 has been amended to recite the limitation of

- "selectable" in line 4;
- "determining quantitative status information indicative of the relative degree of achievement of said individual's performance with relation to said physiological status goal based upon said data indicative of one or more parameters " in lines 26-28; and
- "said determined quantitative status" in line 29.

As per claim 157, Brown300, Alyfuku and Korenman teach a method for assisting an individual to monitor, control and modify certain aspects of the individual's physiological status according to a preset physiological status goal, the method comprising:

Art Unit: 3626

establishing said physiological status goal according to certain selectable physiological parameters of said individual (Brown300; Figure 3B, column 2, lines 57-67, column 6, line 26 to column 7, line 18);

wearing a wearable physiological monitoring device on the body of the individual, said wearable physiological monitoring device having at least two sensors, said at least two sensors being two of a body motion sensor adapted to generate data indicative of motion, a skin conductance sensor adapted to generate data indicative of the resistance of said individual's skin to electric current, a heat flux sensor adapted to generate data indicative of heat flow, a body potential sensor adapted to generate data indicative of heart beats or muscle or brain activity of said individual, and a temperature sensor adapted to generate data indicative of a temperature of said individual's skin, said wearable physiological monitoring device generating at least two of said data indicative of motion, said data indicative of resistance of said individual's skin to electric current, said data indicative of heat flow, said data indicative of heart beats or muscle or brain activity and said data indicative of a temperature of said individual's skin when worn by said individual (Alyfuku; see at least Abstract, Figure 11, Item 91, Figure 19, Item 89, Figure 37, Item 183, Figure 42, Item 209, Figure 43, Items S304 to S309, column 1, lines 7-17, column 3, lines 20-31, column 4, line 30 to column 5, line 7, column 8, lines 45-51, column 11, line 59 to column 12, line 4, column 12, line 54 to column 13, line 2, column 14, line 52 to column 16, line 2, column 15, lines 9-25, column 17, lines 35-45, column 19, lines 16-26, 40-49, column 20, lines 27-31, 46-48, column 24, lines 15-47, column 26, line 18 to column 27, line 30) , (Korenman; see at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38, column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56);

Art Unit: 3626

generating data indicative of one or more measured parameters of said individual using at least two of said data indicative of motion, said data indicative of resistance of said individual's skin to electric current, said data indicative of heat flow, said data indicative of heart beats or muscle or brain activity and said data indicative of a temperature of said individual's skin (Alyfuku; see at least Abstract, Figure 37, Item 183, Figure 41, Item S288, Figure 42, Item 209, Figure 43, Items S304 to S309, column 1, lines 7-17, column 3, lines 20-31, column 3, line 65 to column 5, line 7, column 8, lines 45-51, column 11, line 59 to column 12, line 4, column 12, line 54 to column 13, line 2, column 14, line 52 to column 16, line 2, column 15, lines 9-25, column 17, lines 35-45, column 19, lines 16-26, 40-49, column 20, lines 27-31, 46-48, column 24, lines 15-47, column 26, line 18 to column 27, line 30), (Korenman; see at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38, column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56);

comparing target health parameters such as blood glucose readings to actual parameters (reads on determining quantitative status information indicative of the relative degree of achievement of said individual's performance with relation to said physiological status goal based upon said data indicative of one or more parameters) (Brown300; see at least Figure 3A, Item 32, Figure 3B, Figure 4-A, Figure 4-B, column 1, lines 26-36, column 2, lines 6-9, column 2, line 57 to column 3, line 45, column 5, lines 38-43, column 6, line 26 to column 7, line 18); and

providing said determined quantitative status information, such as a criticality index, indicative of a suggested or recommended change in said individual's performance to assist said individual in the achievement of said physiological status goal (Brown300; see at least Figure

Art Unit: 3626

3A, Item 32, Figure 3B, column 1, lines 26-36, column 2, lines 6-9, column 2, line 57 to column 3, line 45 , column 5, lines 38-43, column 6, line 26 to column 7, line 18).

The motivations for combining the respective teachings of Brown300, Alyfuku, and Korenman, are as given in the rejection of claims 104, 113, and 124 above, and incorporated herein.

(E) As per claims 167, 169, Brown300, Alyfuku and Korenman teach a method as analyzed and discussed in claims 104 and 153 above

further comprising receiving sensor data from one or more sensor devices, said one or more sensor devices measuring said sensor data from the individual, and using said sensor data in addition to said data indicative of one or more measured parameters to compare target parameters to actual parameters (reads on determine said quantitative status information)

(Brown300; see at least Figure 3A, Item 32, Figure 3B, column 1, lines 26-36, column 2, lines 6-9, column 2, line 57 to column 3, line 45 , column 5, lines 38-43, column 6, line 26 to column 7, line 18), (Alyfuku; Figure 11, Item 91, Figure 20, Figure 21, Figure 22, column 11, line 59 to column 12, line 4, column 12, line 54 to column 13, line 2, column 14, line 52 to column 16, line 2, column 17, line 35 to column 18, line 46, column 19, lines 16-26, 40-49, column 20, lines 27-31, 46-48), (Korenman; see at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38, column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56).

The motivations for combining the respective teachings of Brown300, Alyfuku, and Korenman, are as given in the rejection of claims 104, 113, and 124 above, and incorporated herein.

Art Unit: 3626

(F) As per claims 168, 170, Brown300, Alyfuku and Korenman teach a method as analyzed and discussed in claims 124 and 157 above

further comprising receiving sensor data from one or more sensor devices, said one or more sensor devices measuring said sensor data from the individual, and using said sensor data in addition to said data indicative of one or more measured parameters to compare target parameters to actual parameters (reads on determine said relative degree of achievement) (Brown300; see at least Figure 3A, Item 32, column 1, lines 26-36, column 2, lines 6-9, column 2, line 57 to column 3, line 45, column 5, lines 38-43, column 6, line 34 to column 7, line 18), (Alyfuku; Figure 11, Item 91, Figure 20, Figure 21, Figure 22, column 11, line 59 to column 12, line 4, column 12, line 54 to column 13, line 2, column 14, line 52 to column 16, line 2, column 17, line 35 to column 18, line 46, column 19, lines 16-26, 40-49, column 20, lines 27-31, 46-48), (Korenman; see at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38, column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56).

The motivations for combining the respective teachings of Brown300, Alyfuku, and Korenman, are as given in the rejection of claims 104, 113, and 124 above, and incorporated herein.

7. Claims 115-116, 120-121, 140-141, 145-146, 154-156, 158-166 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brown, U.S. Patent Number 5, 951, 300, hereinafter known as Brown300, in view of Alyfuku et al, U.S. Patent Number 5, 410, 471 and Korenman et al, U.S. Patent Number 6, 067, 468 as applied to claims 104, 113 and 118 above, and further in view of Pottgen et al, U.S. Patent Number 5, 813, 994 and Nasiff, U.S. Patent Number 4, 757, 453.

(A) As per claims 115, 120, 140, 145, 155, 159, Brown300, Alyfuku and Korenman teach a method as analyzed and discussed in claims 104, 113, 118, 124, 138, 153 and 157 above.

Brown300, Alyfuku and Korenman fail to explicitly disclose said at least two sensors being said body motion sensor and said heat flux sensor, wherein said derived data and said one or more measured parameters comprises data relating to calories burned and is generated using at least said data indicative of motion and said data indicative of heat flow.

However, the above features are well-known in the art, as evidenced by Pottgen.

In particular, Pottgen teaches said heat flux sensor, wherein said derived data and said one or more measured parameters comprises data relating to calories burned and is generated using at least said data indicative of heat flow (Pottgen; see at least Abstract, column 2, line 61 to column 3, line 21, column 5, lines 11-41).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the method for assisting an individual of Brown300, Alyfuku and Korenman to include said heat flux sensor, wherein said derived data and said one or more measured parameters comprises data relating to calories burned and is generated using at least said data indicative of heat flow, as taught by Pottgen, with the motivations of monitoring caloric expenditure, by measuring components of heat flow, since the determination of caloric expenditure is an important component of any weight control or fitness program (Pottgen; column 1, lines 19-21, column 2, lines 21-47).

Brown300, Alyfuku and Korenman fail to explicitly disclose wherein said derived data and said one or more measured parameters is based on at least said data indicative of motion.

However, the above features are well-known in the art, as evidenced by Nasiff.

In particular, Nasiff teaches said body motion sensor wherein said derived data and said one or more measured parameters comprises data relating to calories burned or energy spent and is generated using at least said data indicative of motion (Nasiff; see at least Abstract, column 2, line 13 to column 3, line 14).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the combined art of Brown300, Alyfuku and Korenman to include said body motion sensor wherein said derived data and said one or more measured parameters comprises data relating to calories burned or energy spent and is generated using at least said data indicative of motion, as taught by Nasiff, with the motivations of providing a body activity monitor to be used for extended periods of time and during all normal daily activities that gives continuous energy expenditure data, is comfortable to the patient, be easily applied to the patient, and measures total body activity as directly as possible, including measuring the work done [calories used] by the motion of the major moving elements of the body (Nasiff; column 1, lines 15-26, column 2, lines 13-37).

(B) As per claims 116, 121, 141, 146, 156, 160, Brown300, Alyfuku, Korenman, Pottgen, and Nasiff teach a method as analyzed and discussed above

said at least two sensors further including said skin conductance sensor, wherein said data relating to calories burned is generated using at least said data indicative of motion, said data indicative of heat flow and said data indicative of resistance of said individual's skin to electric current (Korenman; see at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38,



Art Unit: 3626

column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56),(Pottgen; see at least Abstract, column 2, line 61 to column 3, line 21, column 5, lines 11-41), (Nasiff; see at least Abstract, column 2, line 13 to column 3, line 14).

The motivations for combining the respective teachings of Brown300, Alyfuku, Korenman, Pottgen, and Nasiff are as given in the rejection of claims 104, 113, 115, 118, 124, 138 and 153 above, and incorporated herein.

(C) As per claims 154, 158, Brown300, Alyfuku, Korenman, Pottgen, and Nasiff teach a method as analyzed and discussed in claims 153 and 157 above

said wearable physiological monitoring device having a body motion sensor adapted to generate data indicative of motion (Nasiff; see at least Abstract, column 2, line 13 to column 3, line 14),

a skin conductance sensor adapted to generate data indicative of the resistance of said individual's skin to electric current (Korenman; see at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38, column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56),

a heat flux sensor adapted to generate data indicative of heat flow (Pottgen; see at least Abstract, column 2, line 61 to column 3, line 21, column 5, lines 11-41),

a body potential sensor adapted to generate data indicative of heart beats or muscle or brain activity of said individual (Korenman; see at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38, column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56), and

Art Unit: 3626

a temperature sensor adapted to generate data indicative of a temperature of said individual's skin (Alyfuku, column 3, line 65 to column 4, line 30),

said wearable physiological monitoring device generating said data indicative of motion, said data indicative of resistance of said individual's skin to electric current, said data indicative of heat flow, said data indicative of heart beats or muscle or brain activity and said data indicative of a temperature of said individual's skin when worn by said individual (Alyfuku, column 3, line 65 to column 4, line 30), (Korenman; see at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38, column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56), (Pottgen; see at least Abstract, column 2, line 61 to column 3, line 21, column 5, lines 11-41), (Nasiff; see at least Abstract, column 2, line 13 to column 3, line 14).

said data indicative of each of said one or more measured parameters being generated using at least two of said data indicative of motion, said data indicative of resistance of said individual's skin to electric current, said data indicative of heat flow, said data indicative of heart beats or muscle or brain activity and said data indicative of a temperature of said individual's skin (Alyfuku, column 3, line 65 to column 4, line 30), (Korenman; see at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38, column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56), (Pottgen; see at least Abstract, column 2, line 61 to column 3, line 21, column 5, lines 11-41), (Nasiff; see at least Abstract, column 2, line 13 to column 3, line 14).

The motivations for combining the respective teachings of Brown300, Alyfuku, Korenman, Pottgen, and Nasiff are as given in the rejection of claims 104, 113, 115, 118, 124, 138, 153 and 157 above, and incorporated herein.

Art Unit: 3626

(D) As per claims 161-166, Brown300, Alyfuku, Korenman, Pottgen, and Nasiff teach a method as analyzed and discussed in claims 113, 118, 138, 143, 153 and 157 above said at least two sensors being said body motion sensor and said body or skin potential sensor, wherein said derived data and said measured parameters comprises data relating to calories burned and is generated using at least said data indicative of motion and said data indicative of heart beats (Korenman; see at least Abstract, Figure 1, Figure 2C, Figure 3, column 2, lines 31-38, column 3, lines 35-46, column 4, lines 6-31, column 6, lines 26-56), (Nasiff; see at least Abstract, column 2, line 13 to column 3, line 14), (Pottgen; see at least Abstract, column 2, line 61 to column 3, line 21, column 5, lines 11-41).

The motivations for combining the respective teachings of Brown300, Alyfuku, Korenman, Pottgen, and Nasiff are as given in the rejection of claims 104, 115, 124, 138, 153 and 157 above, and incorporated herein.

8. Claim 122 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brown, U.S. Patent Number 5, 951, 300, hereinafter known as Brown300, and Alyfuku et al, U.S. Patent Number 5, 410, 471 as applied to claim 104 above, and further in view of Brown et al, U.S. Patent Number 6, 032, 119, hereinafter known as Brown119.

(A) As per claim 122, Brown300 and Alyfuku teach a method as analyzed and discussed in claim 104 above.

Brown300 and Alyfuku fail to explicitly disclose a method further comprising the step of aggregating said data indicative of one or more measured parameters with data collected from a plurality of individuals to create aggregate data.

Art Unit: 3626

However, the above features are well-known in the art, as evidenced by Brown119.

In particular, Brown119 teaches a method further comprising the step of aggregating said data indicative of one or more measured parameters with data collected from a plurality of individuals to create aggregate data (Brown119; column 2, line 60 to column 3, line 8, column 3, line 59 to column 4, line 9, column 7, lines 19-39).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the method for assisting an individual of Brown300 and Alyfuku to include the step of aggregating said data indicative of one or more measured parameters with data collected from a plurality of individuals to create aggregate data, as taught by Brown119, with the motivations of collecting a subset of the data set from the set of inputs, allowing a reduction in the number of direct connections between the processing means and the inputs and utilizing the data aggregation means for storing data for multiple patients for use in epidemiological research (Brown119; column 2, line 67 to column 3, line 8, column 3, line 59 to column 4, line 9).

9. Claim 123 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brown, U.S. Patent Number 5, 951, 300, hereinafter known as Brown300, and Alyfuku et al, U.S. Patent Number 5, 410, 471 and Brown et al, U.S. Patent Number 6, 032, 119, hereinafter known as Brown119, as applied to claims 104 and 122 above, and further in view of Brown et al, U.S. Patent Number 5, 913, 310, hereinafter known as Brown310.

Art Unit: 3626

(A) As per claim 123, Brown300, Alyfuku and Brown119 teach a method as analyzed and discussed in claims 104 and 122 above.

Brown300, Alyfuku and Brown119 fail to explicitly disclose a method further comprising the step of creating reports based on said aggregate data.

However, the above features are well-known in the art, as evidenced by Brown310.

In particular, Brown310 teaches a method further comprising the step of creating reports based on said aggregate data (Brown310; column 20, lines 35-45).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the method for assisting an individual of Brown300, Alyfuku and Brown119 to include the step of creating reports based on said aggregate data, as taught by Brown310, with the motivations of statistically analyzing the data for use in epidemiological research (Brown310; column 20, lines 35-45).

10. Claims 147, 148, 150, 151 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brown, U.S. Patent Number 5, 951, 300, hereinafter known as Brown300, and Alyfuku et al, U.S. Patent Number 5, 410, 471, as applied to claims 104 and 124 above, and further in view of Pottgen et al, U.S. Patent Number 5, 813, 994.

(A) As per claims 147, 148, 150, 151, Brown300 and Alyfuku teach a method as analyzed and discussed in claims 104 and 124 above.

Brown300 and Alyfuku fail to explicitly disclose

said wearable physiological monitoring device being part of an armband; and

said wearable physiological monitoring device being part of a garment.

Art Unit: 3626

However, the above features are well-known in the art, as evidenced by Pottgen.

In particular, Pottgen teaches

said wearable physiological monitoring device being part of an armband (Pottgen, column 5, lines 27-37); and

said wearable physiological monitoring device able to be worn on the subject's body with no significant limitation on motion or mobility (reads on being part of a garment) (Pottgen, column 2, lines 62-66).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the method for assisting an individual of Brown300 and Alyfuku to include said wearable physiological monitoring device being part of an armband; and said wearable physiological monitoring device being part of a garment, as taught by Pottgen, with the motivations of minimizing and compensating for the shortcomings of conventional heat flow sensors so that all components of evaporative heat flow can be measured by incorporating a small, portable, relatively inexpensive sensor that can be worn on the subject's body with no significant limitation on motion or mobility (Pottgen; column 2, line 62 to column 3, line 21).

### ***Response to Arguments***

11. Applicant's arguments filed 26 November 2004 have been fully considered but they are not persuasive. Applicant's arguments will be addressed hereinbelow in the order in which they appear in the responses filed 26 November 2004.

Art Unit: 3626

(A) At page 27 of the 26 November 2004 response, Applicant states that claims 140-170 are pending, and at page 37 Applicant states that claims 104-170 are in condition for allowance. Examiner respectfully notes that these appear to be typographical errors. Examiner observes that claims 104-127 and 137-170 actually remain pending.

(B) With respect to Applicant's assertion on page 29 at line 14 of the 26 November 2004 response that "[t]he Brown300 reference contemplates, but does not disclose, manual input by the user," Examiner respectfully notes that this limitation is not recited in the language of the claims.

(C) At pages 28- 29 of the 26 November 2004 response, Applicant argues that the features in the Application are not taught or suggested by the applied references. In response, all of the limitations which Applicant disputes as missing in the applied references, including the newly added features in the 26 November 2004 amendment, have been fully addressed by the Examiner as either being fully disclosed or obvious in view of the collective teachings of Brown300, Alyfuku, Korenman, Pottgen, Nasiff, Brown119, and Brown310, based on the logic and sound scientific reasoning of one ordinarily skilled in the art at the time of the invention, as detailed in the remarks and explanations given in the preceding sections of the present Office Action and in the prior Office Action (paper number 08132004), and incorporated herein. In particular, Examiner notes that the recited features of "providing said determined quantitative status information regarding said individual" and "providing said determined quantitative status information indicative of a suggested [or recommended] change in said individual's performance

Art Unit: 3626

to assist said individual in the achievement of said physiological status goal" are taught by the combination of applied references (Brown300; see at least Figure 3A, Item 32, Figure 3B, Figure 4-A, Figure 4-B, column 1, lines 26-36, column 2, lines 6-9, column 2, line 57 to column 3, line 45, column 4, lines 38-41, column 5, lines 38-43, column 6, line 10 to column 7, line 57). The Examiner interprets, for example, Brown300's "delivering health information to a patient... [...] ... generating the composite of personalized health content ... [...] ... and displaying the composite to the patient" and "parameters include ... [...] ... range of blood glucose levels, weight, exercise times, parameters characterizing the patient's diet, and recommended period between doctor checkups" and "[a] criticality means 205 generates criticality 40 by comparing treatment regimen 202 and health profile 204. Preferably, criticality 40 comprises a criticality index that measures differences between actual health parameters of the patient (as reflected in health profile 204) and corresponding recommended health parameters of the patient (as determined from treatment regimen 202)" (Brown300; column 3, lines 40-45, column 6, lines 30-34, 45-51) as reading on these limitations; and the Examiner interprets Brown300's "[t]he medical treatment regimen specifies target health parameters, while the health profile specifies actual health parameters of the patient. The treatment plan is generated by comparing the target parameters to the actual parameters" and "...such parameters include target range of blood glucose levels, weight..." (Brown300; column 2, lines 56-60, column 6, lines 25-45) as reading on a method to assist an individual in the achievement of said physiological status goal.

With respect to Applicant's assertion on page 30 of the 26 November 2004 response that in the applied references "the user has no way of knowing whether and to what degree,



Art Unit: 3626

qualitatively, they are in compliance," Examiner notes that the although this is not a recited claim limitation, the Brown300 reference teaches "[t]he patient criticality measures the patient's compliance with the treatment regimen. A criticality means generates the patient criticality by comparing the treatment regimen and the health profile" which reads on "providing said determined quantitative status information indicative of a suggested change in said individual's performance to assist said individual in the achievement of said physiological status goal," and therefore informs the user of compliance and provides feedback to the user regarding progress toward the goals.

With respect to Applicant's assertion on pages 30-31 of the 26 November 2004 response that in the applied references do not teach a monitoring device worn "while the user is in motion or under any type of daily activity-related stress," Examiner respectfully notes that this limitation is not recited in the language of the claims. However, Examiner also notes that the applied references do teach this feature (Nasiff; Abstract, column 2, lines 25-38), (Pottgen; column 2, lines 60-66, column 5, lines 27-37).

In response to Applicant's arguments against the references individually on page 31 of the 26 November 2004 response, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). In addition, the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the

Art Unit: 3626

claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

In response to Applicant's argument that there is no suggestion to combine the references, the Examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992).

Furthermore, the Examiner recognizes that references cannot be arbitrarily altered or modified and that there must be some reason why one skilled in the art would be motivated to make the proposed modifications. And although the motivation or suggestion to make modifications must be articulated, it is respectfully submitted that there is no requirement that the motivation to make modifications must be expressly articulated within the references themselves. References are evaluated by what they suggest to one versed in the art, rather than by their specific disclosures, *In re Bozek*, 163 USPQ 545 (CCPA 1969).

However, in the instant case, the Examiner respectfully notes that each and every motivation to combine the applied references is accompanied by select portions of the respective reference(s) which specifically support that particular motivation. As such, it is NOT seen that the Examiner's combination of references is unsupported by the applied prior art of record. Rather, it is respectfully submitted that explanation based on the logic and scientific reasoning of

Art Unit: 3626

one ordinarily skilled in the art at the time of the invention that support a holding of obviousness has been adequately provided by the motivations and reasons indicated by the Examiner, *Ex parte Levensgood* 28 USPQ 2d 1300 (Bd. Pat. App. & Inter., 4/22/93).

With respect to Applicant's assertion in the paragraph bridging pages 31-32 of the 26 November 2004 response that as regards "data input by the user" in the applied references "there is no teaching or suggestion regarding the automated input of such information," Examiner respectfully notes that these limitations are not recited in the language of the claims.

In response to Applicant's argument in the paragraph bridging pages 31-32 of the 26 November 2004 response that "[t]here is no teaching or suggestion in the Brown300 reference of any **stated need or desire** to provide **quantitative** output to the user which embodies the degree to which the user has complied with a routine to achieve a stated, measurable goal," Examiner respectfully notes that these limitations are not recited in the language of the claims, however Examiner notes that providing the range of blood glucose levels and weight is providing quantitative output, and Brown300's teaching of "specifies target health parameters, while the health profile specifies actual health parameters of the patient" and "generated by comparing the target parameters to the actual parameters" (Brown300; column 2, lines 56-60, column 6, lines 25-45) provides quantitative output to the user which embodies the degree to which the user has complied with targeted measurable goals.

Art Unit: 3626

With respect to Applicant's assertion on page 32 of the 26 November 2004 response that "Alyfuku does not disclose establishing ... goals...and the comparison of the target parameters..." Examiner respectfully notes that it was the Brown300 reference and not the Alyfuku reference that was used to teach these limitations.

With respect to Applicant's assertion in the last paragraph on page 32 of the 26 November 2004 response that the applied references "do not contemplate" a wearable, physiological monitoring device " that is not "specifically directed to incidental contact with the measuring devices while the user is essentially at rest," Examiner respectfully notes that these limitations are not recited in the language of the claims. However, Examiner also notes that Applicant has conceded in the paragraph bridging pages 30-31 of the 26 November 2004 response that the finger cuff taught by Alyfuku does teach a wearable physiological monitor. Examiner also notes that other applied references teach the other argued but non-recited features (Nasiff; Abstract, column 2, lines 25-38), (Pottgen; column 2, lines 60-66, column 5, lines 27-37).

With respect to Applicant's disagreement on page 34 of the 26 November 2004 response that " the data of Alyfuku is derived data" Examiner respectfully disagrees and notes that Alyfuku's teaching of "[t]his step ... [...]... of weight measurement and information transmission and reception is shown in more detail in FIG. 21 as a subroutine. As shown therein, the microcomputer 38 inputs analog [weight measurement] signals from the detector 90 and/or sensors 91 (S151), converts the analog signals to digital signals (S152) and derives an average value (S153)" reads on "derived data " (Alyfuku; Figure 21, column 17, lines 28-43).

In response to Applicant's argument in the paragraph bridging pages 34-35 of the 26 November 2004 response that the applied references fail to disclose at least two sensors identified in a specific list included in Applicant's claims, Examiner respectfully disagrees and notes that the recited features are taught by the combination of applied references. For example, Korenman's teaching of "[t]he unconscious interaction via sensor and receiver may rely on one or more parameters, for example GSR, brain or cardiac electrical signals (as in EEG and ECG monitoring), heart or pulse rate, skin temperature, or others" (Korenman; column 3, lines 35-46) reads on at least two of the sensors identified in Applicant's specified list.

In response to Applicant's argument on page 34 of the 26 November 2004 response that there is no motivation to combine the Brown300 and Akyfuku with Brown 119 and Brown310 in order to teach aggregation and reports based on aggregation or with the Pottgen reference to teach the limitations of claims 147-148 and 150-151, the Examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992).

Furthermore, the Examiner recognizes that references cannot be arbitrarily altered or modified and that there must be some reason why one skilled in the art would be motivated to make the proposed modifications. And although the motivation or suggestion to make modifications must be articulated, it is respectfully submitted that there is no requirement that the

Art Unit: 3626

motivation to make modifications must be expressly articulated within the references themselves.

References are evaluated by what they suggest to one versed in the art, rather than by their specific disclosures, *In re Bozek*, 163 USPQ 545 (CCPA 1969).

However, in the instant case, the Examiner respectfully notes that each and every motivation to combine the applied references is accompanied by select portions of the respective reference(s) that specifically support that particular motivation. As such, it is NOT seen that the Examiner's combination of references is unsupported by the applied prior art of record. Rather, it is respectfully submitted that explanation based on the logic and scientific reasoning of one ordinarily skilled in the art at the time of the invention that support a holding of obviousness has been adequately provided by the motivations and reasons indicated by the Examiner, *Ex parte Levengood* 28 USPQ 2d 1300 (Bd. Pat. App. & Inter., 4/22/93).

### ***Conclusion***

12. The prior art made of record and not relied upon is considered pertinent to Applicant's disclosure. The cited but not applied references Bernard, et al., United States Patent Number 4,883,063, Nashner, et al., United States Patent Number 5, 697, 791, Martin, United States Patent Number 6, 712, 615, Kaufman, United States Patent Number 6, 251, 048, and Nahsner, et al., United States Patent 5,476,103 teach the environment of monitoring an individual's health.

13. Any response to this action should be mailed to:

**Commissioner of Patents and Trademarks  
Washington D.C. 20231**

or faxed to: **(703) 305-7687.**

Art Unit: 3626

For informal or draft communications, please label "PROPOSED" or "DRAFT" on the front page of the communication and do NOT sign the communication.

After Final communications should be labeled "Box AF."  
Hand-delivered responses should be brought to Crystal Park 5,  
2451 Crystal Drive, Arlington, VA, Seventh Floor (Receptionist).

14. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Natalie A. Pass whose telephone number is (703) 305-3980. The examiner can normally be reached on Monday through Thursday from 9:00 AM to 6:30 PM. The examiner can also be reached on alternate Fridays.

15. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Thomas, can be reached at (703) 305-9588. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Receptionist whose telephone number is (703) 308-1113.

16. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Natalie A. Pass

December 8, 2004

  
**ALEXANDER KALINOWSKI**  
**PRIMARY EXAMINER**